

L Number	Hits	Search Text	DB	Time stamp
1	6	(detect\$3 intercept\$3) same ((id) with (message)) same (insert3 appends) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:24
2	14	(detect\$3) same (id) same (message packet) same (insert3 appends) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:29
3	59	(detect\$3) same (id) same (message packet) same (update) same (forward route send) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:30
4	23	(detect\$3) same (id) same (packet) same (update) same (forward route send) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:35
5	1032	(detect\$3) same (id) same (update insert) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:35
6	3	(detect\$3) with (id) with (update insert) same (packet route) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:37
7	12	(intercept) with (update insert) same (packet route) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:45
8	6	(detect) with (ID) same (update insert) same (packet route) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 13:43
9	4	(packet) same (id) same (hidden) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 13:43
-	155	(internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:16
-	10	((internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3)) and (authentication adj server)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 11:53
-	4	((((internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3)) and (authentication adj server)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 11:53
-	26	(internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3) and (logon)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 12:02
-	26	(internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3) and (logon) and (id identification unique)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 12:02
-	24	(internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3) and (logon) and (id identification unique) and (hidden reserved inaccessible ("not" adj accessible))	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 12:04
-	24	(internet web) and (client) and (server) and (authenticat\$3) and (hardware with address) and (redirect\$3) and (logon) and (id identification unique) and (hidden reserved inaccessible ("not" adj accessible)) and (session connection)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 12:04

-	9	(internet web) and (client) and (server) and (authentication\$3 with server) and (hardware with address) and (redirect\$3) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:22
-	0	(authentication\$3 with server) same (redirect\$3) same (hardware with address) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:23
-	3	(authentication\$3 with server) same (redirect\$3) and (hardware with address) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:28
-	1	("6611498").PN.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:25
-	1	(client user workstation) same ((authentication login logon) with server) and ((redirect\$3) same (authoriz\$5)) and (hardware with (unique identification id address)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:35
-	42	(client user workstation) same ((authentication login logon) with server) and ((redirect\$3) same (authoriz\$5)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 13:36
-	10	(client user workstation) same ((authentication login logon) with server) same ((redirect\$3) same (authoriz\$5)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 14:17
-	0	20020075844.URPN.	USPAT;	2004/02/23 14:11
-	0	(client user workstation) same ((authentication login logon) with server) same ((redirect\$3) same (authoriz\$5)) and (hardware with (unique identification id address)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 14:17
-	13	(client user workstation) and ((authentication login logon) with server) and ((redirect\$3) and (authoriz\$5)) and (hardware with (unique identification id address)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:52
-	18	(client user workstation) and ((authentication login logon) with server) and ((redirect\$3) same (authoriz\$5) same (unique identification id address)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 14:53
-	11	(logon) same (hidden protected unaccessible) same field and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 14:59
-	7	(logon) same (hidden protected reserved unaccessible) same (unique id identification) same field and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:02
-	16	(logon login) same (hidden protected reserved unaccessible) same (unique id identification) same field and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:02
-	52	(logon login authentication) same (hidden protected reserved unaccessible) same (unique id identification) same field and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:03
-	2	(logon login authentication) with (form questionnaire screen) same (hidden protected reserved unaccessible) same (unique id identification) same field and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:03
-	30	(client user workstation) and ((authentication login logon) with server) and ((redirect\$3) and (authoriz\$5)) and ((hardware equipment) with (unique identification id address)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 16:40

-	30	((client user workstation) and ((authentication login logon) with server) and ((redirect\$3) and (authoriz\$5)) and ((hardware equipment) with (unique identification id address)) and @ad<20000801) not ((client user workstation) same ((authentication login logon) with server) same ((redirect\$3) same (authoriz\$5)) and (hardware with (unique identification id address)) and @ad<20000801)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:53
-	29	((client user workstation) and ((authentication login logon) with server) and ((redirect\$3) and (authoriz\$5)) and ((hardware equipment) with (unique identification id address)) and @ad<20000801) not ((client user workstation) same ((authentication login logon) with server) and ((redirect\$3) same (authoriz\$5)) and (hardware with (unique identification id address)) and @ad<20000801)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 15:54
-	24	(aaa) and (mac) and (hardware) and authorization and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 16:41
-	4	(aaa) and (mac with address) and (hardware) and authorization and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 16:54
-	13	(aaa) and ((mac hardware) with address) and authorization and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 16:55
-	15	(aaa) and ((mac hardware) with (address ID)) and authorization and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 17:06
-	58	((mac hardware) with (address ID)) same authorization and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/23 17:06
-	9	((mac hardware) with (address ID)) same authorization same (server) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 10:26
-	0	09458602.apn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 10:20
-	0	09458602.rlan.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 10:20
-	3	458602.ap.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 10:21
-	0	("9458602").PN.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 10:21
-	10	("5696898"   "5761683"   "5845070"   "5968176"   "5991292"   "6219694"   "6317790"   "6317837"   "6393468"   "6490620").PN.	USPAT	2004/02/24 10:23
-	0	(logon adj (page form screen)) with ((hidden reserved) adj field) same (ID unique) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 10:31

-	0	(logon adj (page form screen)) same ((hidden reserved) adj field) same (ID unique) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:31
-	0	(logon adj (page form screen)) same ((hidden reserved) adj field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:31
-	0	(logon adj (page form screen)) same ((hidden reserved) with field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:32
-	8	(logon adj (page form screen)) and ((hidden reserved) with field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:34
-	3	(logon adj (page form screen)) and ((hidden) with field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:36
-	8	(logon adj (page form screen)) and ((hidden reserved) with field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:38
-	0	(logon with (page form screen)) same ((hidden reserved) with field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 10:39
-	14	((logon login authentication) with (page form screen)) same ((hidden reserved) with field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:21
-	0	(html http) same ((hidden reserved) with field) same (unaccessible ("not" with accessible)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:22
-	0	(html http webform webpage) same ((hidden reserved) with field) same (unaccessible ("not" with accessible)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:23
-	0	(form page) same ((hidden reserved) with field) same (unaccessible ("not" with accessible)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:23
-	1	(form page) and ((hidden reserved) with field) same (unaccessible ("not" with accessible)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:25
-	1	((hidden reserved) with field) same (unaccessible ("not" with accessible)) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 13:37
-	40	((hidden reserved) with field) same (unaccessible ("not" with accessible) locked restricted) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:24
-	38	(form page) and ((hidden reserved) with field) same (unaccessible ("not" with accessible) locked restricted) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:25
-	3	(http html webform webpage) same ((hidden reserved) with field) same (unaccessible ("not" with accessible) locked restricted) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:25
-	12	(http html webform webpage) and ((hidden reserved) with field) same (unaccessible ("not" with accessible) locked restricted) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 11:26
-	523	((hidden reserved) with field) same (ID unique) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM TDB	2004/02/24 13:38

-	44	((hidden reserved) with field) same (ID unique) same (located location) same (byte) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:38
-	14	((hidden reserved) with field) same (ID unique) same (located location) with (byte) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:43
-	0	(hidden with field) same (ID unique) same (located location) same (byte) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:44
-	3	(hidden with field) same (ID unique) same (byte) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:46
-	83	(hidden with field) same (ID unique) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:46
-	3	(hidden with field) same (ID unique) same authentication and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:50
-	3	(hidden) same (ID) same (field) same authentication and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:51
-	57	(hidden) same (ID) same (field) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:52
-	13060	(hidden field) same (ID) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:52
-	29	(hidden with field) same (ID) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:52
-	1	(hidden with field) same (ID) same byte and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 13:53
-	29	(hidden with field) same (ID) and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 14:04
-	0	(hidden with field) same (ID) same contiguous and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 14:04
-	1	(hidden) same (ID) same contiguous and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/24 14:04
-	10	(hidden reserved) same (ID) same contiguous and @ad<20000801	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/25 10:19